


STATE PROJ. NO.	F.A. PROJ. NO.	DESCRIPTION
5CR. 1093 1.3		
5CR.20931.3		
5CR.309328.3		·



TYPICAL SECTION #3



TYPICAL SECTION #4



BRIDGE HALF TYPICAL SECTION

FOR BRIDGES WITH FLOOR DRAINS, CARE SHALL BE EXERCISED IN PLACING THE WEARING SURFACE AROUND FLOOR DRAINS SO AS NOT TO HINDER EFFECTIVE DRAINAGE. ALL DRAINS SHALL BE LEFT OPEN.

THE PROPOSED WEARING SURFACE SHALL VARY IN THICKNESS AS NECESSARY TO PROVIDE A SMOOTH RIDING SURFACE, A THICKNESS OF NOT LESS THAN % SHALL BE PROVIDED. THE MAXIMUM THICKNESS SHALL PREFERABLY BE I 1/2 UNLESS IT IS IMPRACTICAL TO PROVIDE A SMOOTH RIDING SURFACE OTHERWISE.

PAVEMENT SCHEDULE

- PROP. APPROX. 1.25" ASPH. CONC. SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 138 LBS. PER SQ. YD.
- PROP. APPROX. 1.25" ASPH. CONC. SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 140 LBS. PER SQ. YD.
- (P) SHOULDER RECONSTRUCTION